

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------------------------------------------------------------------|-------------------------------------------------------------------|------------------|---------|---------------------|
| L1 | 22 | (ostade.in.) or (nicholson.in. and baca. in.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L2 | 45 | SOCS-3 or SOCS3 | USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L3 | 3 | L2 same cytoplasm\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L4 | 94 | SOCS\$4 same cytoplasm \$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L5 | 404 | (SOCS\$4) same receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L6 | 135 | gp130 near10 ((cytoplasmic adj domain) or fusion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L7 | 298 | (inhibitory near20 motif) same receptor and (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L8 | 0 | (bait adj domain) near15 receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L9 | 414 | (SHP-2 or SHP2) same receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L10 | 651 | ((two or "2") adj hybrid) same receptor same inhibit\$3 | US-PGPUB; USPAT | OR | ON | 2008/04/14 17:55 |
| L11 | 194 | (bait near5 receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L12 | 81 | (chimeric same receptor) same (gp130) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L13 | 1 | valentini and ste2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L14 | 53 | (cytoplasmic near1 (domain or tail)) near1 (chimer\$3) same receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L15 | 111 | gp130 near5 (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L16 | 191 | (inhibitory adj motif) same receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|-----------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L17 | 382 | (chimeric near5 receptor) near5 (heterologous) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L18 | 5 | gp130 near5 (chimer\$3 or fus\$3) near5 cytoplasmic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L19 | 51 | (receptor near15 bait) same inhibit\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L20 | 13 | (inhibitory adj motif) same receptor same (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L21 | 34 | (receptor-binding adj proteins) same inhibit\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L22 | 58 | (death adj domain) same bait | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L23 | 10 | (two adj hybrid) same (chimeric adj receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L24 | 26 | (death adj receptor) same screening | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L25 | 34 | bait near10 fused near10 receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L26 | 10 | bait near5 fused near5 receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L27 | 8 | receptor near5 comprising near5 bait | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L28 | 75 | (prey near15 receptor) and bait | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L29 | 29 | (SHP-2 or SHP2) same receptor same (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L30 | 61 | (eyckerman.in. and sven. in.) or (tavernier.in. and jan.in.) or (vandeckerckhove.in. and joel.in.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L31 | 19 | (two adj hybrid) near5 receptor same chimer\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L32 | 230 | (bait same prey same receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|----|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L33 | 7 | (receptor) near20 (fused near10 cytoplasmic near10 terminus) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L34 | 35 | L30 and receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L35 | 2 | "20040166538".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L36 | 11 | SOCSS\$4 same (two-hybrid or (two adj hybrid)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L37 | 5 | gp130 near50 bait | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L38 | 43 | (SOCSS\$4) same receptor same (chimer\$4 or fus \$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L39 | 13 | "5525490".pn. or "5637463".pn. or "5733726".pn. or "6303319".pn. or "6479280".pn. or "9940946" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L40 | 17 | (inhibitory near20 motif) same receptor same (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|--------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L41 | 59 | (bait same prey same transmembrane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L42 | 106 | ((two or "2") adj hybrid) near15 receptor near15 (inhibit\$3 or reverse) | US-PGPUB; USPAT | OR | ON | 2008/04/14 17:55 |
| L43 | 11 | (bait near15 receptor) same transmembrane | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L44 | 13 | ((two or "2") adj hybrid) near10 receptor near10 (inhibit\$3 or reverse) | US-PGPUB; USPAT | OR | ON | 2008/04/14 17:55 |
| L45 | 11 | EpoR same gp130 same (chimer\$3 or fus\$3) | US-PGPUB; USPAT | OR | ON | 2008/04/14 17:55 |
| L46 | 5 | gp130 near50 bait | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L47 | 14 | epoR and (socs3 or socs-3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L48 | 6 | "200006722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L49 | 20 | (chimeric near5 receptor) near20 (cytoplasmic adj tail) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L50 | 16 | (inhibitory near10 motif) same receptor same (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L51 | 3 | (receptor) near20 (fused near10 end near10 cytoplasmic near10 domain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L52 | 71 | bait same prey same inhibit\$3 same transcription | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L53 | 9 | medici and ste2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L54 | 4 | phosphorylation same ubiquitination same glycosylation same proteolytic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L55 | 8 | (bait near15 (membrane adj protein)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L56 | 25 | (chimeric same receptor) near50 (cytoplasmic near50 tail) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L57 | 27 | (chimeric same receptor) same (bait or prey) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L58 | 130 | (prey near15 receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L59 | 256 | (inhibitory near5 motif) same receptor and (chimer\$3 or fus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L60 | 130 | (death adj domain) same screening | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L61 | 418 | prey same receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L62 | 267 | (inhibitory adj motif) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L63 | 250 | (cytoplasmic near2 (domain or tail)) near2 (chimer\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L64 | 661 | ((two or "2") adj hybrid) same receptor same (inhibit\$3 or reverse) | US-PGPUB; USPAT | OR | ON | 2008/04/14 17:55 |
| L65 | 273 | (two adj hybrid) same (fus\$3 near5 receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L66 | 369 | (chimeric adj receptor) same (intracellular adj domain) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
| L67 | 375 | (heterologous adj receptor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |

| | | | | | | |
|-----|-----|------------------------------------|-------------------------------------------------------------------|----|----|---------------------|
| L68 | 302 | (two adj hybrid) near5 receptor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 17:55 |
|-----|-----|------------------------------------|-------------------------------------------------------------------|----|----|---------------------|

4/ 14/ 08 6:05:24 PM

C:\ Documents and Settings\ zhoward\ My Documents\ EAST\ Workspaces\ 10751072.wsp